
This drawing, specifications, and concepts contained here in are the sole property of Dart Aerospace, and may not be reproduced or used in any fashion without the prior written permission of Dart Aerospace Eugene, OR.


REVISIONS								
REV	ECR	DESCRIPTION	DATE	INITIAL	APPROVED			
1		released for production	8/12/2016	SM	JAG			
2		-1 DELETED TOOL NAME FROM PLACARD, CH'D TOOL LAYOUT3 & -5 CH'D FOAM WAS FOR PELICAN CASE #APP-1500-E IS FOR PELICAN CASE #APP-1400-E5 CH'D TOOL LAYOUT TO FIT NEW CASE7 CH'D P/N WAS #APP-1500-E IS #APP-1400-E. CH'D RBEM632V3021221 QTY. WAS 1 IS 2.	1/17/2017	RJC				





ASSY QTY	ASSY QTY	В/О	Part #	UNIT QTY	Description	Material	B/O INFORMATION OR SPECIFICATIONS	PG.
				1	EXTRACTOR		RBEM632V3021125	1
				1	HAFTING TOOL		RBEM632V3021128	1
				1	NUT KEY		RBEM632V3021132	1
				2	GUIDE		RBEM632V3021221	1
				1	COUNTER KEY	01	RBEM632V3021225	1
			-1	1	PLACARD	PLASTIC		2
		B/O	-3	1	TOP FOAM	ETHAFOAM 220, BLACK	1.20 X 9.20 X 12.10 (CASE SOLUTIONS)	3
		B/O	-5	1	ВОТТОМ ГОАМ	ETHAFOAM 220, BLACK	3.95 X 9.20 X 12.10 (CASE SOLUTIONS)	4
		B/O	-7	1	CASE	PLASTIC	PELICAN #APP-1400-E	N/S
		B/O		1	PLACARD	ALUMINUM	RB41011	N/S

NOTES:
REF FUROCOPTER T/N: M632V3021102


REF. EUROCOPTER 1/N: M632V302T102.							
DART							
TITLE	TITLE COOLING COMPRESSOR						
	PULLEY NUT EXCHANGE						
DWG NO.	RBI	EM632	V3021	102	2		
MAT'L			UNLESS OTHERWISE SPECIFIED				
HEAT TREAT			DIMENSIONS ARE IN INCHES  .XXX ± .005 FRACTIONS ± 1/8				
FINISH			.XX ± .01 .X ± .1	ANGLES ±.5° SURFACES =	125/		
SPEC			1. BREAK ALL SHARP EDGES				
DRAWN BY: MACKOVJAK			.015 x 45° OR .015R  2. DIMENSIONAL LIMITS APPLY AFTER PLATING				
CHECKED: CLOUGH							
OPPS APPR: ANDERSON			3. INTERPRET DIM AND TOL PER ASME Y14.5M-2009				
QA APPR:	LINDSAY	/	USED ON MODEL				
APPROVED: GILBERT			H175				
SCALE	1:6	DATE 3/	3/2016	SHEET 1 OI	F 4		








TOP FOAM



SURFACES = 125 1. BREAK ALL SHARP EDGES .015 x 45 'OR .015R 2. DIMENSIONAL LIMITS APPLY AFTER PLATING 3. INTERPRET DIM AND TOL PER ASME Y14.5M-2009 DRAWN BY: MACKOVJAK CHECKED: CLOUGH OPPS APPR: QA APPR: USED ON MODEL APPROVED: H175 SCALE

1:4

3/3/2016 SHEET 3 OF 4



REVISIONS								
REV	ECR	DESCRIPTION	DATE	INITIAL	APPROVED			
2	17-0005	-5 CH'D FOAM WAS FOR PELICAN CASE #APP-1500-E IS FOR PELICAN CASE #APP-1400-E, CH'D TOOL LAYOUT TO FIT NEW CASE.	1/17/2017	RJC				

